

Message

From: AccardiDey, AmyMarie [AmyMarie.Accardi-Dey@wsp.com]
Sent: 7/1/2020 1:42:39 PM
To: Smeraldi, Josh [Smeraldi.Josh@epa.gov]
CC: Warner, Leonard [len.warner@wsp.com]; Franklin Beth (Elizabeth.A.Franklin@usace.army.mil) [Elizabeth.A.Franklin@usace.army.mil]; Sivak, Michael [Sivak.Michael@epa.gov]
Subject: RE: Comments from proposed plan
Attachments: Riverside Containerized Waste Buildings 7, 12, and 17 (detected results only).xlsx

Josh – I asked Sharon Bailey (who worked on the cost estimates) to provide a more thorough response on Present Worth and the formula. She is located on the west coast, so we will get a response this afternoon.

Attached is the requested data for the waste in Building 7, 12, and 17 (the building numbers are located in the sample ID). I limited the data to detected values. The NAPL is the principal threat waste and constitutes the majority of the volume being removed. The three low-volume containerized wastes are characterized as non-hazardous.

Regards
AM

AmyMarie Accardi-Dey, PhD, PG, CPC
Phone: 1-914-620-5110

From: Smeraldi, Josh <Smeraldi.Josh@epa.gov>
Sent: Wednesday, July 1, 2020 8:01 AM
To: AccardiDey, AmyMarie <AmyMarie.Accardi-Dey@wsp.com>
Cc: Warner, Leonard <len.warner@wsp.com>; Franklin Beth (Elizabeth.A.Franklin@usace.army.mil) <Elizabeth.A.Franklin@usace.army.mil>; Sivak, Michael <Sivak.Michael@epa.gov>
Subject: RE: Comments from proposed plan

Thank you for clarifying these. Regarding the costs, I don't think I asked the question right (sorry). We are getting a lot

Ex. 5 Deliberative Process (DP)

For the wastes (except for the NAPL), can you send the data?

Ex. 5 Deliberative Process (DP)

Ex. 5 AC/DP

Thanks,

Josh

From: AccardiDey, AmyMarie <AmyMarie.Accardi-Dey@wsp.com>
Sent: Wednesday, July 1, 2020 7:01 AM
To: Smeraldi, Josh <Smeraldi.Josh@epa.gov>
Cc: Warner, Leonard <len.warner@wsp.com>; Franklin Beth (Elizabeth.A.Franklin@usace.army.mil) <Elizabeth.A.Franklin@usace.army.mil>; Sivak, Michael <Sivak.Michael@epa.gov>
Subject: RE: Comments from proposed plan

Josh – Please see responses below to your questions.

Regards
AM

AmyMarie Accardi-Dey, PhD, PG, CPC
Phone: 1-914-620-5110

From: Smeraldi, Josh <Smeraldi.Josh@epa.gov>
Sent: Monday, June 29, 2020 4:06 PM
To: AccardiDey, AmyMarie <AmyMarie.Accardi-Dey@wsp.com>
Cc: Warner, Leonard <len.warner@wsp.com>; Franklin Beth (Elizabeth.A.Franklin@usace.army.mil)
<Elizabeth.A.Franklin@usace.army.mil>; Sivak, Michael <Sivak.Michael@epa.gov>
Subject: Comments from proposed plan

Hi AmyMarie,

Below are three comments I need some help on for the proposed plan:

Ex. 5 AC/DP

Thanks,

Josh

--

Josh Smeraldi, Ph.D. Env. Eng
EPA Region 2 Superfund and Emergency Management Division
212 637 4302

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies.